| L Number | Hits | Search Text | DB | Time stamp |
|---|---|---|---|---|
| - | 53 | (geographic$2 near2 location) and (platform adj independent) and @ad<20001027 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/07 08:39 |
| - | 215 | (location$1specific or (location adj specific)) and (WAN or wireless) and software and @ad<20001027 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 10:23 |
| - | 43 | ((location$1specific or (location adj specific)) and (WAN or wireless) and software and @ad<20001027) and (JAVA or (platform adj independent)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/10 10:45 |
| - | 346 | (mobile adj IP) and @ad<20001027 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/10 10:49 |
| - | 0 | ((mobile adj IP) and @ad<20001027) and (software adj radio) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 10:12 |
| - | 2 | ((mobile adj IP) and @ad<20001027) and (software near2 radio) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 10:12 |
| - | 16 | ((mobile adj IP) and @ad<20001027) and (software near2 configuration) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 10:12 |
| - | 1 | ((mobile adj IP) and (transport adj layer) and @ad<20001027) and (location$1specific or (location adj specific)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 10:24 |
| - | 0 | ((mobile adj IP) and (transport adj layer) and @ad<20001027) and (geographic$2 near2 location) and (platform adj independent) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 10:25 |
| - | 6 | ((mobile adj IP) and (transport adj layer) and @ad<20001027) and (geographic$2 near2 location) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 10:25 |
| - | 44 | (mobile adj IP) and (transport adj layer) and @ad<20001027 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 11:33 |
| - | 89 | (geographic$2 near2 location) and (transport adj layer) and @ad<20001027 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 10:57 |
| - | 4 | ((geographic$2 near2 location) and (transport adj layer) and @ad<20001027) and ((mobile adj (unit or device or user)) or (wireless adj (unit or device or user))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 11:02 |
| - | 47 | ((location$1specific or (location adj specific)) and (WAN or wireless) and software and @ad<20001027) and ((mobile adj (unit or device or user)) or (wireless adj (unit or device or user))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 11:02 |

C:\APPS\EAST\Workspaces\09698882.wsp

| - | 2 | (((location$1specific or (location adj specific)) and (WAN or wireless) and software and @ad<20001027) and ((mobile adj (unit or device or user)) or (wireless adj (unit or device or user))))) and (transport adj layer) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 11:02 |
|---|---|---|---|---|
| - | 13 | (mobile adj IP) and (software near3 radio) and @ad<20001027 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 11:33 |
| - | 165 | (air adj interface adj protocol) and @ad<20001027 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 15:22 |
| - | 16 | ((air adj interface adj protocol) and @ad<20001027) and (geographic$ near2 location) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 15:23 |
| - | 1659 | ((multiple or multi or several or different) near3 (protocol$1)) and location and mobile and @ad<20001027 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 16:59 |
| - | 80 | ((multiple or multi or several or different) near3 (protocol$1)) and location and mobile and (software adj configuration) and @ad<20001027 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 17:00 |
| - | 1 | (((multiple or multi or several or different) near3 (protocol$1)) and location and mobile and (software adj configuration) and @ad<20001027) and (air adj interface) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 17:00 |
| - | 0 | (((multiple or multi or several or different) near3 (protocol$1)) and location and mobile and (software adj configuration) and @ad<20001027) and (mobile adj IP) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 17:00 |
| - | 42 | ((multiple or multi or several or different) adj (protocol$1)) and location and mobile and (software adj configuration) and @ad<20001027 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 17:18 |
| - | 36 | selectable adj protocol$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 17:11 |
| - | 22 | (selectable adj protocol$1) and @ad<20001027 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 17:11 |
| - | 39 | ((multiple or multi) adj (protocol$1)) and location and ((mobile or remote) adj unit) and @ad<20001027 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/06 17:19 |
| - | 2249 | hand$1off and (multi$1protocol or (multiple adj protocols) or (unknown protocol$1)) and @ad<20001027 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/07 08:47 |
| - | 34 | (hand$1off and (multi$1protocol or (multiple adj protocols) or (unknown protocol$1)) and @ad<20001027) and (software near2 radio) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/07 08:46 |

| - | 71 | (hand$1off and (multi$1protocol or (multiple adj protocols) or (unknown protocol$1)) and @ad<20001027) and (mobile adj IP) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/07 08:47 |
|---|---|---|---|---|
| - | 2 | (hand$1off and (multi$1protocol or (multiple adj protocols) or (unknown adj protocol$1)) and @ad<20001027) and (mobile adj IP) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/07 08:51 |
| - | 9 | (hand$1off and (multi$1protocol or (multiple adj protocols) or (unknown adj protocol$1)) and @ad<20001027) and (transport adj layer) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/07 08:53 |
| - | 4 | (hand$1off and (multi$1protocol or (multiple adj protocols) or (unknown adj protocol$1)) and @ad<20001027) and java | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/07 08:53 |
| - | 52 | hand$1off and (multi$1protocol or (multiple adj protocols) or (unknown adj protocol$1)) and @ad<20001027 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/07 09:10 |
| - | 213 | (transport adj layer) and (multi$1protocol or (multiple adj protocols) or (unknown adj protocol$1)) and @ad<20001027 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/07 09:13 |
| - | 188 | ((transport adj layer) and (multi$1protocol or (multiple adj protocols) or (unknown adj protocol$1)) and @ad<20001027) and software | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/07 09:11 |
| - | 39 | (((transport adj layer) and (multi$1protocol or (multiple adj protocols) or (unknown adj protocol$1)) and @ad<20001027) and software) and mobile and wireless | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/07 09:12 |
| - | 29 | ((((transport adj layer) and (multi$1protocol or (multiple adj protocols) or (unknown adj protocol$1)) and @ad<20001027) and software) and mobile and wireless) and java | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/07 09:11 |
| - | 42 | ((transport adj layer) and (multi$1protocol or (multiple adj protocols) or (unknown adj protocol$1)) and @ad<20001027) and mobile and wireless | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/07 09:12 |
| - | 11 | ((transport adj layer) and (multi$1protocol or (multiple adj protocols) or (unknown adj protocol$1)) and @ad<20001027) and (geographic$2 adj location) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/07 09:12 |
| - | 39 | (geographic$2 adj location) and (multi$1protocol or (multiple adj protocols) or (unknown adj protocol$1)) and @ad<20001027 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/07 09:23 |
| - | 30 | GPS and (wireless or mobile) and (multi$1protocol or (multiple adj protocols) or (unknown adj protocol$1)) and @ad<20001027 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/07 09:24 |
| - | 180 | ((geo$1graphic$2 or geo$1spacial) same IP) and java | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/10 11:39 |

C:\APPS\EAST\Workspaces\09698882.wsp

| - | 67 | (((geo$1graphic$2 or geo$1spacial) same IP) and java) and @ad<20001027 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/10 10:42 |
|---|---|---|---|---|
| - | 20 | ((geo$1graphic$2 or geo$1spacial) same IP) and (java adj virtual adj machine) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/10 10:41 |
| - | 12 | (((geo$1graphic$2 or geo$1spacial) same IP) and (java adj virtual adj machine)) and @ad<20001027 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/10 10:42 |
| - | 42 | ((location$1specific or (location adj specific)) and (WAN or wireless) and software and @ad<20001027) and JAVA | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/10 10:45 |
| - | 5 | ((location$1specific or (location adj specific)) and (WAN or wireless) and software and @ad<20001027) and (JAVA adj virtual adj machine) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/10 10:46 |
| - | 3 | (mobile adj IP) and @ad<20001027 and (java adj virtual adj machine) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/10 10:50 |
| - | 0 | @ad<20001027 and (java adj virtual adj machine) and (resource adj description adj language) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/11/10 10:50 |